



QTY -041	QTY -042	P/N	DESCRIPTION
X		D3488-041	BLADE FITTING, LH
	X	D3488-042	BLADE FITTING, RH
1		D3488-1	BLADE FITTING, LH
	1	D3488-2	BLADE FITTING, RH
4	4	ALS4-1032-225	INSERT



D3488-1
BLADE FITTING, LH

ALS4-1032-225
INSERT
4 PL

D3488-041 BLADE FITTING, LH



D3488-2
BLADE FITTING, RH

ALS4-1032-225
INSERT
4 PL

D3488-042 BLADE FITTING, RH

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.7
 - 7) WEIGHT: 3.3 lbs


RELEASED

2018 OCT 19


ECN 18-030

APPROVED


C	GENERAL DRAWING UPDATE TO LATEST DRAWING STANDARDS. SECTIONS/VIEWS RENAMED. ADDED D3488-3/-4 (SHT 4, 5) SHT 2 SECTION C-C/SHT 3 SECTION G-G, 0.200 SLOT WAS 0.125, Ø2.150 DIM NOW REF, WALL THICKNESS DIMENSION ADDED.	ZF	18.03.07
B	CHANGE THICKNESS	PH	06.03.15
A	NEW ISSUE	CP	05.12.20
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	ZF		
CHECKED	MW	DRAWING NO.	REV. C
MFG. APPR.	DD	D3488	SHEET 1 OF 5
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	BLADE FITTING	NTS
DATE	18.03.07	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




SECTION C-C
SCALE 1.25X, 4 PL





DETAIL A



D3488-1 BLADE FITTING, LH



VIEW B-B




SECTION D-D
2 PL

- NOTES:**
- 1) MATERIAL: 7075-T73 (OR 7075-T7351/T73510/73511) ROUND BAR PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 REF DART SPEC. M7075T73R
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.7
 - 7) WEIGHT: 3.3 lbs



RELEASED
2018 OCT 19

APPROVED


DESIGN	AJS	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. C
MFG. APPR.	DD	D3488	SHEET 2 OF 5
APPROVED	NO	TITLE	SCALE
DE APPR.	D9	BLADE FITTING	NTS
DATE	18.03.07	<small>COPYRIGHT © 2005 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	




SECTION G-G
SCALE 1.25X, 4 PL





VIEW F-F



DETAIL E



D3488-2 BLADE FITTING, RH



SECTION H-H
2 PL

NOTES:


- NOTES:**
- 1) MATERIAL: 7075-T73 (OR 7075-T7351/T73510/73511) ROUND BAR
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9
REF DART SPEC. M7075T73R
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.7
 - 7) WEIGHT: 3.3 lbs

RELEASED


2018 OCT 19 9

APPROVED



DESIGN	AJS	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. C
MFG. APPR.	DD	D3488	SHEET 3 OF
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	BLADE FITTING	NTS
DATE	18.03.07	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.	




SECTION K-K
SCALE 1.25X, 4 PL




DETAIL J



D3488-3 BLADE FITTING, LH



VIEW L-L



- NOTES:**
- 1) MATERIAL: 7075-T73 (OR 7075-T7351/T73510/73511) ROUND BAR
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9
REF DART SPEC. M7075T73R
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.7
 - 7) WEIGHT: 3.3 lbs

RELEASED

2018 OCT 19

APPROVED

DESIGN	AJS
DRAWN	ZF
CHECKED	MW
MFG. APPR.	DD
APPROVED	NO
DE APPR.	DS
DATE	18.03.07

DART AEROSPACE USA, INC.

EUGENE, OR

DRAWING NO.

D3488

TITLE

BLADE FITTING


REV. C

SHEET 4 OF 5



SCALE

NTS


COPYRIGHT © 2005 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.




SECTION N-N
SCALE 1.25X, 4 PL




VIEW P-P



DETAIL M



D3488-4 BLADE FITTING, RH



NOTES:

- 1) MATERIAL: 7075-T73 (OR 7075-T7351/T73510/73511) ROUND BAR
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9
REF DART SPEC. M7075T73R
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.7
- 7) WEIGHT: 3.3 lbs

RELEASED

2018 OCT 19

APPROVED

DESIGN	AJS	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. C
MFG. APPR.	DD	D3488	SHEET 5 OF 5
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	BLADE FITTING	NTS
DATE	18.03.07	<small>COPYRIGHT © 2005 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	